



Válvula de colar F/F


Cement jointing valve F/F

Vanne à coller F/F

Válvula de encolar F/F



S20



S55

D	DN	PN	Gr	Quant	Actuator
16	15	16	1920	T 1	S20*11
20	15	16	1910	T 1	S20*11
25	20	16	1970	T 1	S20*14
25	25	16	2120	T 1	S20*14
32	25	16	2130	T 1	S20*14
40	40	16	2570	T 1	S20*14
50	40	16	2580	T 1	S20*14
60	50	16	3120	U 1	S20*14
63	50	16	3120	U 1	S20*14
75	65	10	4765	U 1	S55*17
85	80	10	5980	U 1	S55*17
90	80	10	5980	U 1	S55*17
110	80	10	5990	U 1	S55*17

NEW 74 61 1300 025

Nº Código

74 61 1077 016

74 61 1077 020

74 61 1077 025

74 61 1077 032

74 61 1077 040

74 61 1077 050

74 61 1077 060

74 61 1077 063

74 61 1077 075

74 61 1077 085

74 61 1077 090

74 61 1077 110

Válvula de colar F/F


Cement jointing valve F/F

Vanne à coller F/F


Válvula de encolar F/F



TEFLON-VITON



S20



S55

D	DN	PN	Gr	Quant	Actuator
16	15	16	1920	T 1	S20*11
20	15	16	1910	T 1	S20*11
25	20	16	1970	T 1	S20*14
25	25	16	2120	T 1	S20*14
32	25	16	2130	T 1	S20*14
40	40	16	2570	T 1	S20*14
50	40	16	2580	T 1	S20*14
60	50	16	3120	U 1	S20*14
63	50	16	3120	U 1	S20*14
75	65	10	4765	U 1	S55*17
85	80	10	5980	U 1	S55*17
90	80	10	5980	U 1	S55*17
110	80	10	5990	U 1	S55*17

NEW 74 61 1297 025

Nº Código

74 61 1296 016

74 61 1296 020

74 61 1296 025

74 61 1296 032

74 61 1296 040

74 61 1296 050

74 61 1296 060

74 61 1296 063

74 61 1296 075

74 61 1296 085

74 61 1296 090



74 61 1296 110

Válvula roscada F/F

Tapped valve F/F

Vanne filetée F/F

Válvula roscada F/F



D	DN	PN	Gr	Quant	Actuator
"3/8	15	16	1920	T 1	S20*11
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 74 61 1300 034

Nº Código

74 61 1077 038

74 61 1077 012

74 61 1077 034

74 61 1077 100

74 61 1077 114

74 61 1077 150

74 61 1077 200

74 61 1077 250

74 61 1077 300


74 61 1077 400

Válvula roscada F/F


Tapped valve F/F

Vanne filetée F/F

Válvula roscada F/F



TEFLON-VITON




D	DN	PN	Gr	Quant	Actuator	Nº Código
"3/8	15	16	1920	T 1	S20*11	74 61 1296 038
"1/2	15	16	1910	T 1	S20*11	74 61 1196 012
"3/4	20	16	1970	T 1	S20*14	NEW 74 61 1297 034
"3/4	25	16	2120	T 1	S20*14	74 61 1296 034
1"	25	16	2130	T 1	S20*14	74 61 1296 100
1"1/4	40	16	2570	T 1	S20*14	74 61 1296 114
1"1/2	40	16	2580	T 1	S20*14	74 61 1296 150
2"	50	16	3120	U 1	S20*14	74 61 1296 200
2"1/2	65	10	4765	U 1	S55*17	74 61 1296 250
3"	80	10	5980	U 1	S55*17	74 61 1296 300
4"	80	10	5990	U 1	S55*17	74 61 1296 400

Válvula de colar F/F - atuador **BSR**

Cement jointing valve F/F - **BSR** actuator

Vanne à coller F/F - actionneur **BSR**

Válvula de encolar F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
16	15	16	1920	T 1	S20*11
20	15	16	1910	T 1	S20*11
25	20	16	1970	T 1	S20*14
25	25	16	2120	T 1	S20*14
32	25	16	2130	T 1	S20*14
40	40	16	2570	T 1	S20*14
50	40	16	2580	T 1	S20*14
60	50	16	3120	U 1	S20*14
63	50	16	3120	U 1	S20*14
75	65	10	4765	U 1	S55*17
85	80	10	5980	U 1	S55*17
90	80	10	5980	U 1	S55*17
110	80	10	5990	U 1	S55*17

NEW 77 61 1300 025

Nº Código

77 61 1077 016

77 61 1077 020

77 61 1077 025

77 61 1077 032

77 61 1077 040

77 61 1077 050

77 61 1077 060

77 61 1077 063

77 61 1077 075

77 61 1077 085

77 61 1077 090



77 61 1077 110

Válvula roscada F/F - atuador **BSR**

Tapped valve F/F - **BSR** actuator

Vanne filetée F/F - actionneur **BSR**

Válvula roscada F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
"3/8	15	16	1920	T 1	S20*11
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 77 61 1300 034

Nº Código

77 61 1077 038

77 61 1077 012

77 61 1077 034

77 61 1077 100

77 61 1077 114

77 61 1077 150

77 61 1077 200

77 61 1077 250

77 61 1077 300


77 61 1077 400

Válvula de colar F/F - atuador **DPS-Positioner**

Cement jointing valve F/F - **DPS-Positioner** actuator

Vanne à coller F/F - actionneur **DPS-Positioner**

Válvula de encolar F/F - actuador **DPS-Positioner**



S20

S55

D	DN	PN	Gr	Quant	Actuator
16	15	16	1920	T 1	S20*11
20	15	16	1910	T 1	S20*11
25	20	16	1970	T 1	S20*14
25	25	16	2120	T 1	S20*14
32	25	16	2130	T 1	S20*14
40	40	16	2570	T 1	S20*14
50	40	16	2580	T 1	S20*14
60	50	16	3120	U 1	S20*14
63	50	16	3120	U 1	S20*14
75	65	10	4765	U 1	S55*17
85	80	10	5980	U 1	S55*17
90	80	10	5980	U 1	S55*17
110	80	10	5990	U 1	S55*17

NEW 78 61 1300 025

Nº Código

78 61 1077 016

78 61 1077 020

78 61 1077 025

78 61 1077 032

78 61 1077 040

78 61 1077 050

78 61 1077 060

78 61 1077 063

78 61 1077 075

78 61 1077 085

78 61 1077 090


78 61 1077 110

Válvula roscada F/F - atuador **DPS-Positioner**

Tapped valve F/F - **DPS-Positioner** actuator

Vanne filetée F/F - actionneur **DPS-Positioner**

Válvula roscada F/F - actuador **DPS-Positioner**



D	DN	PN	Gr	Quant	Actuator
"3/8	15	16	1920	T 1	S20*11
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 78 61 1300 034

Nº Código

78 61 1077 038

78 61 1077 012

78 61 1077 034

78 61 1077 100

78 61 1077 114

78 61 1077 150

78 61 1077 200

78 61 1077 250

78 61 1077 300

78 61 1077 400

Válvula com adaptação para atuador

Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 61 1077 000




FIG 1





FIG 2



d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
16- "3/8	15	1	11	14	36	6.5	50	6.5	-	41.5	160	B 25	75 61 1077 016 038
20- "1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 61 1077 020 012
25- "3/4	20	2	14	14	-	-	-	6.5	50	52	200	B 12	75 61 1300 025 034
25- "3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 61 1077 025 034
32-1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 61 1077 032 100
40-1 1/4"	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 61 1077 040 114
50-1 1/2"	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 61 1077 050 150
60	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 1077 060
63-2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 1077 063 200
75-2 1/2"	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 61 1077 075 250
85	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1077 085
90-3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1077 090 300
110-4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 61 1077 110 400


BRITISH STANDARD

Válvula colar F/F

Cement jointing valve F/F

Vanne à coller F/F

Válvula de encolar F/F



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

74 67 1077 020

NEW 74 67 1300 025

74 67 1077 025

74 67 1077 032

74 67 1077 040

74 67 1077 050

74 67 1077 063

74 61 1077 075

74 67 1077 090


BRITISH STANDARD

Válvula de colar F/F - atuador **BSR**

Cement jointing valve F/F - **BSR** actuator

Vanne à coller F/F - actionneur **BSR**

Válvula de encolar F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

77 67 1077 020

NEW 77 67 1300 025

77 67 1077 025

77 67 1077 032

77 67 1077 040

77 67 1077 050

77 67 1077 063

77 61 1077 075

77 67 1077 090


BRITISH STANDARD

Válvula de colar F/F - atuador **DPS-Positioner**

Cement jointing valve F/F - **DPS-Positioner** actuator

Vanne à coller F/F - actionneur **DPS-Positioner**

Válvula de encolar F/F - actuador **DPS-Positioner**



S20

S55

D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

78 67 1077 020

NEW 78 67 1300 025

78 67 1077 025

78 67 1077 032

78 67 1077 040

78 67 1077 050

78 67 1077 063

78 61 1077 075

78 67 1077 090

BRITISH STANDARD

Válvula com adaptação para atuador




Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 67 1077 000



d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 67 1077 020
"3/4	20	2	14	14	-	-	-	6.5	50	52	120	B 12	75 67 1300 025
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 67 1077 025
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 67 1077 032
1"1/4	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 67 1077 040
1"1/2	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 67 1077 050
2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 67 1077 063
2"1/2	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 61 1077 075
3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 67 1077 090


SCH80

Válvula colar F/F

Cement jointing valve F/F

Vanne à coller F/F

Válvula de encolar F/F



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

Nº Código

74 54 1299 020

NEW 74 54 1300 025

74 54 1299 025

74 54 1299 032

74 54 1299 040

74 54 1299 050

74 54 1299 063

74 54 1299 075

74 54 1299 090

74 54 1299 110


SCH80

Válvula de colar F/F - atuador **BSR**

Cement jointing valve F/F - **BSR** actuator

Vanne à coller F/F - actionneur **BSR**

Válvula de encolar F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 77 54 1300 025

Nº Código

77 54 1299 020

77 54 1299 025

77 54 1299 032

77 54 1299 040

77 54 1299 050

77 54 1299 063

77 54 1299 075

77 54 1299 090

77 54 1299 110


SCH80

Válvula de colar F/F - atuador **DPS-Positioner**

Cement jointing valve F/F - **DPS-Positioner** actuator

Vanne à coller F/F - actionneur **DPS-Positioner**

Válvula de encolar F/F - actuador **DPS-Positioner**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 78 54 1300 025

Nº Código

78 54 1299 020

78 54 1299 025

78 54 1299 032

78 54 1299 040

78 54 1299 050

78 54 1299 063

78 54 1299 075

78 54 1299 090

78 54 1299 110

SCH80

Válvula com adaptação para atuador




Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 54 1299 000



d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 54 1299 020
"3/4	20	2	14	14	-	-	-	6.5	50	52	120	B 12	75 54 1300 025
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 54 1299 025
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 54 1299 032
1"1/4	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 54 1299 040
1"1/2	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 54 1299 050
2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 54 1299 063
2"1/2	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 54 1299 075
3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 54 1299 090
4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 54 1299 110


NPT

Válvula roscada F/F

Tapped valve F/F

Vanne filletée F/F

Válvula roscada F/F



D	DN	PN	Gr	Quant	Actuator
"1/2	15	10	1910	T 1	S20*11
"3/4	20	10	1970	T 1	S20*14
"3/4	25	10	2120	T 1	S20*14
1"	25	10	2130	T 1	S20*14
1"1/4	40	10	2570	T 1	S20*14
1"1/2	40	10	2580	T 1	S20*14
2"	50	10	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

74 67 1299 012

NEW 74 67 1300 034

74 67 1299 034

74 67 1299 100

74 67 1299 114

74 67 1299 150

74 67 1299 200

74 67 1299 250

74 67 1299 300


NPT

Válvula roscada F/F - atuador **BSR**

Tapped valve F/F - **BSR** actuator

Vanne filletée F/F - actionneur **BSR**

Válvula roscada F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

77 67 1299 012

NEW 77 67 1300 034

77 67 1299 034

77 67 1299 100

77 67 1299 114

77 67 1299 150

77 67 1299 200

77 67 1299 250

77 67 1299 300


NPT

Válvula roscada F/F - atuador **DPS-Positioner**

Tapped valve F/F - **DPS-Positioner** actuator

Vanne filetée F/F - actionneur **DPS-Positioner**

Válvula roscada F/F - actuador **DPS-Positioner**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

78 67 1299 012

NEW 78 67 1300 034

78 67 1299 034

78 67 1299 100

78 67 1299 114

78 67 1299 150

78 67 1299 200

78 67 1299 250

78 67 1299 300

NPT

Válvula com adaptação para atuador




Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 67 1299 000




d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 67 1299 012
"3/4	20	2	14	14	-	-	-	6.5	50	52	120	B 15	75 67 1300 034
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 67 1299 034
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 67 1299 100
1 1/4"	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 67 1299 114
1 1/2"	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 67 1299 150
2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 67 1299 200
2 1/2"	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 67 1299 250
3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1299 300

Válvula de colar F/F

Cement jointing valve F/F

Vanne à coller F/F

Válvula de encolar F/F



S20

S55

D	DN	PN	Gr	Quant	Actuator
16	15	16	1920	T 1	S20*11
20	15	16	1910	T 1	S20*11
25	20	16	1970	T 1	S20*14
25	25	16	2120	T 1	S20*14
32	25	16	2130	T 1	S20*14
40	40	16	2570	T 1	S20*14
50	40	16	2580	T 1	S20*14
60	50	16	3120	U 1	S20*14
63	50	16	3120	U 1	S20*14
75	65	10	4765	U 1	S55*17
85	80	10	5980	U 1	S55*17
90	80	10	5980	U 1	S55*17
110	80	10	5990	U 1	S55*17

NEW 74 61 1300 025

Nº Código

74 61 1077 016

74 61 1077 020

74 61 1077 025

74 61 1077 032

74 61 1077 040

74 61 1077 050

74 61 1077 060

74 61 1077 063

74 61 1077 075

74 61 1077 085

74 61 1077 090

74 61 1077 110

Válvula de colar F/F


Cement jointing valve F/F

Vanne à coller F/F


Válvula de encolar F/F



TEFLON-VITON



S20



S55

D	DN	PN	Gr	Quant	Actuator
16	15	16	1920	T 1	S20*11
20	15	16	1910	T 1	S20*11
25	20	16	1970	T 1	S20*14
25	25	16	2120	T 1	S20*14
32	25	16	2130	T 1	S20*14
40	40	16	2570	T 1	S20*14
50	40	16	2580	T 1	S20*14
60	50	16	3120	U 1	S20*14
63	50	16	3120	U 1	S20*14
75	65	10	4765	U 1	S55*17
85	80	10	5980	U 1	S55*17
90	80	10	5980	U 1	S55*17
110	80	10	5990	U 1	S55*17

NEW 74 61 1297 025

Nº Código

74 61 1296 016

74 61 1296 020

74 61 1296 025

74 61 1296 032

74 61 1296 040

74 61 1296 050

74 61 1296 060

74 61 1296 063

74 61 1296 075

74 61 1296 085

74 61 1296 090



74 61 1296 110

Válvula roscada F/F

Tapped valve F/F

Vanne filetée F/F

Válvula roscada F/F



D	DN	PN	Gr	Quant	Actuator
"3/8	15	16	1920	T 1	S20*11
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 74 61 1300 034

Nº Código

74 61 1077 038

74 61 1077 012

74 61 1077 034

74 61 1077 100

74 61 1077 114

74 61 1077 150

74 61 1077 200

74 61 1077 250

74 61 1077 300


74 61 1077 400

Válvula roscada F/F


Tapped valve F/F

Vanne filetée F/F

Válvula roscada F/F



TEFLON-VITON




D	DN	PN	Gr	Quant	Actuator	Nº Código
"3/8	15	16	1920	T 1	S20*11	74 61 1296 038
"1/2	15	16	1910	T 1	S20*11	74 61 1196 012
"3/4	20	16	1970	T 1	S20*14	NEW 74 61 1297 034
"3/4	25	16	2120	T 1	S20*14	74 61 1296 034
1"	25	16	2130	T 1	S20*14	74 61 1296 100
1"1/4	40	16	2570	T 1	S20*14	74 61 1296 114
1"1/2	40	16	2580	T 1	S20*14	74 61 1296 150
2"	50	16	3120	U 1	S20*14	74 61 1296 200
2"1/2	65	10	4765	U 1	S55*17	74 61 1296 250
3"	80	10	5980	U 1	S55*17	74 61 1296 300
4"	80	10	5990	U 1	S55*17	74 61 1296 400

Válvula de colar F/F - atuador **BSR**

Cement jointing valve F/F - **BSR** actuator

Vanne à coller F/F - actionneur **BSR**

Válvula de encolar F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
16	15	16	1920	T 1	S20*11
20	15	16	1910	T 1	S20*11
25	20	16	1970	T 1	S20*14
25	25	16	2120	T 1	S20*14
32	25	16	2130	T 1	S20*14
40	40	16	2570	T 1	S20*14
50	40	16	2580	T 1	S20*14
60	50	16	3120	U 1	S20*14
63	50	16	3120	U 1	S20*14
75	65	10	4765	U 1	S55*17
85	80	10	5980	U 1	S55*17
90	80	10	5980	U 1	S55*17
110	80	10	5990	U 1	S55*17

NEW 77 61 1300 025

Nº Código

77 61 1077 016

77 61 1077 020

77 61 1077 025

77 61 1077 032

77 61 1077 040

77 61 1077 050

77 61 1077 060

77 61 1077 063

77 61 1077 075

77 61 1077 085

77 61 1077 090



77 61 1077 110

Válvula roscada F/F - atuador **BSR**

Tapped valve F/F - **BSR** actuator

Vanne filetée F/F - actionneur **BSR**

Válvula roscada F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
"3/8	15	16	1920	T 1	S20*11
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 77 61 1300 034

Nº Código

77 61 1077 038

77 61 1077 012

77 61 1077 034

77 61 1077 100

77 61 1077 114

77 61 1077 150

77 61 1077 200

77 61 1077 250

77 61 1077 300


77 61 1077 400

Válvula de colar F/F - atuador **DPS-Positioner**

Cement jointing valve F/F - **DPS-Positioner** actuator

Vanne à coller F/F - actionneur **DPS-Positioner**

Válvula de encolar F/F - actuador **DPS-Positioner**



S20

S55

D	DN	PN	Gr	Quant	Actuator
16	15	16	1920	T 1	S20*11
20	15	16	1910	T 1	S20*11
25	20	16	1970	T 1	S20*14
25	25	16	2120	T 1	S20*14
32	25	16	2130	T 1	S20*14
40	40	16	2570	T 1	S20*14
50	40	16	2580	T 1	S20*14
60	50	16	3120	U 1	S20*14
63	50	16	3120	U 1	S20*14
75	65	10	4765	U 1	S55*17
85	80	10	5980	U 1	S55*17
90	80	10	5980	U 1	S55*17
110	80	10	5990	U 1	S55*17

NEW 78 61 1300 025

Nº Código

78 61 1077 016

78 61 1077 020

78 61 1077 025

78 61 1077 032

78 61 1077 040

78 61 1077 050

78 61 1077 060

78 61 1077 063

78 61 1077 075

78 61 1077 085

78 61 1077 090


78 61 1077 110

Válvula roscada F/F - atuador **DPS-Positioner**

Tapped valve F/F - **DPS-Positioner** actuator

Vanne filetée F/F - actionneur **DPS-Positioner**

Válvula roscada F/F - actuador **DPS-Positioner**



D	DN	PN	Gr	Quant	Actuator
"3/8	15	16	1920	T 1	S20*11
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 78 61 1300 034

Nº Código

78 61 1077 038

78 61 1077 012

78 61 1077 034

78 61 1077 100

78 61 1077 114

78 61 1077 150

78 61 1077 200

78 61 1077 250

78 61 1077 300

78 61 1077 400

Válvula com adaptação para atuador

Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 61 1077 000




FIG 1





FIG 2



d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
16- "3/8	15	1	11	14	36	6.5	50	6.5	-	41.5	160	B 25	75 61 1077 016 038
20- "1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 61 1077 020 012
25- "3/4	20	2	14	14	-	-	-	6.5	50	52	200	B 12	75 61 1300 025 034
25- "3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 61 1077 025 034
32-1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 61 1077 032 100
40-1 1/4"	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 61 1077 040 114
50-1 1/2"	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 61 1077 050 150
60	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 1077 060
63-2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 1077 063 200
75-2 1/2"	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 61 1077 075 250
85	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1077 085
90-3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1077 090 300
110-4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 61 1077 110 400


BRITISH STANDARD

Válvula colar F/F

Cement jointing valve F/F

Vanne à coller F/F

Válvula de encolar F/F



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

74 67 1077 020

NEW 74 67 1300 025

74 67 1077 025

74 67 1077 032

74 67 1077 040

74 67 1077 050

74 67 1077 063

74 61 1077 075

74 67 1077 090


BRITISH STANDARD

Válvula de colar F/F - atuador **BSR**

Cement jointing valve F/F - **BSR** actuator

Vanne à coller F/F - actionneur **BSR**

Válvula de encolar F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

NEW 77 67 1300 025

Nº Código

77 67 1077 020

77 67 1077 025

77 67 1077 032

77 67 1077 040

77 67 1077 050

77 67 1077 063

77 61 1077 075

77 67 1077 090


BRITISH STANDARD

Válvula de colar F/F - atuador **DPS-Positioner**

Cement jointing valve F/F - **DPS-Positioner** actuator

Vanne à coller F/F - actionneur **DPS-Positioner**

Válvula de encolar F/F - actuador **DPS-Positioner**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

78 67 1077 020

NEW 78 67 1300 025

78 67 1077 025

78 67 1077 032

78 67 1077 040

78 67 1077 050

78 67 1077 063

78 61 1077 075

78 67 1077 090

BRITISH STANDARD

Válvula com adaptação para atuador




Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 67 1077 000



d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 67 1077 020
"3/4	20	2	14	14	-	-	-	6.5	50	52	120	B 12	75 67 1300 025
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 67 1077 025
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 67 1077 032
1"1/4	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 67 1077 040
1"1/2	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 67 1077 050
2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 67 1077 063
2"1/2	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 61 1077 075
3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 67 1077 090


SCH80

Válvula colar F/F

Cement jointing valve F/F

Vanne à coller F/F

Válvula de encolar F/F



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

Nº Código

74 54 1299 020

NEW 74 54 1300 025

74 54 1299 025

74 54 1299 032

74 54 1299 040

74 54 1299 050

74 54 1299 063

74 54 1299 075

74 54 1299 090

74 54 1299 110


SCH80

Válvula de colar F/F - atuador **BSR**

Cement jointing valve F/F - **BSR** actuator

Vanne à coller F/F - actionneur **BSR**

Válvula de encolar F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

NEW 77 54 1300 025

Nº Código

77 54 1299 020

77 54 1299 025

77 54 1299 032

77 54 1299 040

77 54 1299 050

77 54 1299 063

77 54 1299 075

77 54 1299 090

77 54 1299 110


SCH80

Válvula de colar F/F - atuador **DPS-Positioner**

Cement jointing valve F/F - **DPS-Positioner** actuator

Vanne à coller F/F - actionneur **DPS-Positioner**

Válvula de encolar F/F - actuador **DPS-Positioner**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17
4"	80	10	5990	U 1	S55*17

Nº Código

78 54 1299 020

NEW 78 54 1300 025

78 54 1299 025

78 54 1299 032

78 54 1299 040

78 54 1299 050

78 54 1299 063

78 54 1299 075

78 54 1299 090

78 54 1299 110

SCH80

Válvula com adaptação para atuador




Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 54 1299 000



d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 54 1299 020
"3/4	20	2	14	14	-	-	-	6.5	50	52	120	B 12	75 54 1300 025
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 54 1299 025
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 54 1299 032
1 1/4"	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 54 1299 040
1 1/2"	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 54 1299 050
2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 54 1299 063
2 1/2"	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 54 1299 075
3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 54 1299 090
4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 54 1299 110


NPT

Válvula roscada F/F

Tapped valve F/F

Vanne filletée F/F

Válvula roscada F/F



D	DN	PN	Gr	Quant	Actuator
"1/2	15	10	1910	T 1	S20*11
"3/4	20	10	1970	T 1	S20*14
"3/4	25	10	2120	T 1	S20*14
1"	25	10	2130	T 1	S20*14
1"1/4	40	10	2570	T 1	S20*14
1"1/2	40	10	2580	T 1	S20*14
2"	50	10	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

74 67 1299 012

NEW 74 67 1300 034

74 67 1299 034

74 67 1299 100

74 67 1299 114

74 67 1299 150

74 67 1299 200

74 67 1299 250

74 67 1299 300


NPT

Válvula roscada F/F - atuador **BSR**

Tapped valve F/F - **BSR** actuator

Vanne filletée F/F - actionneur **BSR**

Válvula roscada F/F - actuador **BSR**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

77 67 1299 012

NEW 77 67 1300 034

77 67 1299 034

77 67 1299 100

77 67 1299 114

77 67 1299 150

77 67 1299 200

77 67 1299 250

77 67 1299 300


NPT

Válvula roscada F/F - atuador **DPS-Positioner**

Tapped valve F/F - **DPS-Positioner** actuator

Vanne filetée F/F - actionneur **DPS-Positioner**

Válvula roscada F/F - actuador **DPS-Positioner**



D	DN	PN	Gr	Quant	Actuator
"1/2	15	16	1910	T 1	S20*11
"3/4	20	16	1970	T 1	S20*14
"3/4	25	16	2120	T 1	S20*14
1"	25	16	2130	T 1	S20*14
1"1/4	40	16	2570	T 1	S20*14
1"1/2	40	16	2580	T 1	S20*14
2"	50	16	3120	U 1	S20*14
2"1/2	65	10	4765	U 1	S55*17
3"	80	10	5980	U 1	S55*17

Nº Código

78 67 1299 012

NEW 78 67 1300 034

78 67 1299 034

78 67 1299 100

78 67 1299 114

78 67 1299 150

78 67 1299 200

78 67 1299 250

78 67 1299 300

NPT

Válvula com adaptação para atuador




Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 67 1299 000



d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 67 1299 012
"3/4	20	2	14	14	-	-	-	6.5	50	52	120	B 15	75 67 1300 034
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 67 1299 034
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 67 1299 100
1 1/4"	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 67 1299 114
1 1/2"	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 67 1299 150
2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 67 1299 200
2 1/2"	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 67 1299 250
3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1299 300